

MICHELIN XHA2

Give comfort
to your bottomline



Improved productivity
Improved safety
Improved comfort
Better for environment


MICHELIN XHA2

The new generation XHA, the MICHELIN reference for L3 loaders

IMPROVED PRODUCTIVITY*

LONGER TREAD LIFE

- Up to 9% deeper tread pattern
- Increased tread volume for additional wear life
- Increased resistance to damages



IMPROVED COMFORT*

VIBRATIONS REDUCED BY 50% OR MORE!

- New patented tread design enables a smooth contact on the ground



MORE SIDEWALL PROTECTION

- New sidewall design for enhanced reinforcement and protection



CROWN PROTECTION


- Increased tread depth
- Robust shoulder design



OPTIMISED RETREADING

- Flatter protection plies enabling easier buffing
- Strong casing reliability

IMPROVED SAFETY*



REDUCED DOWN TIME DUE TO SIDEWALL CUTS


- Special rubber compound prevents small cuts from expanding towards the air chamber




MAXIMIZED STABILITY

- Larger footprint

VIBRATION TEST (unloaded machine)



VIBRATION TEST (loaded machine)



TEST CONDITIONS:
 Loader power: 200 kw
 Total weight unloaded: 26 000 kg
 Total weight loaded: 35 500 kg
 Tyre size: 26.5 R 25 XHA2
 Tyre Pressure: Front: 3.75 bar
 Rear: 2.25 bar

BETTER FOR THE ENVIRONMENT*

REDUCED TYRE WEIGHT THANKS TO INNOVATIVE DESIGN AND MATERIALS

- reduced fuel consumption
- fewer raw materials consumed


LONGER TREAD LIFE AND OPTIMISED RETREADING

- fewer tires in the scrap pile

FREE OF AROMATIC OILS

ISO 14001 CERTIFICATION


- MICHELIN XHA2 tyres are manufactured in our ISO 14001 certified factories, whose environmental impact has been reduced by more than 16% since 2005. (Michelin Environmental Footprint)



*Compared to XHA.

*Compared to XHA.

MICHELIN XHA2



➤ SAME EXCELLENT MOBILITY AND TRACTION AS XHA

➤ COMPATIBLE WITH XHA

➤ NON DIRECTIONAL TREAD PATTERN

RANGE FOR L3 LOADERS

SIZES	TREAD DEPTH	
	mm	32 nd inch
15.5 R 25 XHA TL *	26	32.8
17.5 R 25 XHA TL *	29	36.5
20.5 R 25 XHA2 TL * 186 A2	33	42
23.5 R 25 XHA2 TL * 195 A2	36	45
26.5 R 25 XHA2 TL ** 209 A2	41	52
29.5 R 25 XHA2 TL ** 211 A2	43	54
NEW 875/65 R 29 XHA2 TL ** 214 A2	49	62



855 200 507 RCS Clermont-Ferrand
Edition 7448 Gb (2012-04) - Ref. 0509253
fusium 125403 - Tel. 04 73 72 25 25

MAXIMISED RETREADABILITY THANKS TO THE EXTREMELY ROBUST CASING (##)

(##) provided that the worn tyre meets criteria for retreading and/or repair.

BENEFITS OF THE MICHELIN® RADIAL TECHNIQUE

- longer tyre life
- better traction on all types of surface
- lower fuel consumption
- improved comfort
- increased resistance to punctures / flats
- increased heat resistance

